

## ADDENDUM #2 REVISED BID SCHEDULE

**BID SCHEDULE:** A Bidder's Failure to provide the information requested in this Appendix may be cause for rejection of the bid on the basis on non-responsiveness. Cost shall be bid in accordance to all specifications and any Technical Specifications incorporated herein.

**AWARD CRITERIA:** A contract award resulting from this solicitation may be made to the low, responsive, responsible bidder who meets the requirements as set forth in the plans and specifications and compliance thereof. An award may be made in the aggregate of Base Bid and or any combination of Base Bid and Add Alternates, whichever is deemed by the Contract Administrator to be in the best interest of the ARRC. The successful bidder shall hold unit prices of all additives firm for a period of thirty (30) days from the date of bid opening. Award is contingent on the availability of ARRC funds.

| <b>BASE BID: A ITEMS</b> (Bridge 25.7) |   |             |                       |                |            |
|--|---|-------------|-----------------------|----------------|------------|
| Item No.                               | Item Description  | Unit        | Quantity <sup>2</sup> | Unit Bid Price | Amount Bid |
| A-1                                    | Mobilization and Demobilization<br>(640.0001.1)           | Lump Sum    | 1                     |                |            |
| A-2                                    | Clearing and Grubbing<br>(201.0009.1)                     | Acre        | 2                     |                |            |
| A-3                                    | Removal of Bridge and Existing Structures<br>(202.0023.1) | Lump Sum    | 1                     |                |            |
| A-4                                    | Removal of Track<br>(202.0024.1)                          | Linear Foot | 2,000                 |                |            |
| A-5                                    | Unclassified Excavation<br>(203.0003.1)                   | Cubic Yard  | 2,353                 |                |            |
| A-6                                    | Selected Material, Type A<br>(203.0006.1)                 | Ton         | 1,577                 |                |            |
| A-7                                    | Structural Fill<br>(205.0009.1)                           | Ton         | 300                   |                |            |
| A-8                                    | Railroad Ballast, Type 3<br>(203.0003.1)                  | Ton         | 3,000                 |                |            |
| A-9.1                                  | Trackwork, 115# RE Rail<br>(242.0001.1)                   | Linear Foot | 2,000                 |                |            |
| A-9.2                                  | Exothermic Field Welds<br>(242.0001.2)                    | Each        | 10                    |                |            |
| A-10                                   | Surfacing Mainline Track<br>(242.0001.2)                  | Linear Foot | 2,200                 |                |            |
| A-11                                   | Aggregate Base Course, Grading C-1<br>(301.0002.1)        | Ton         | 4,736                 |                |            |
| A-12                                   | Aggregate Surface Course, Grading D-1<br>(301.0004.1)     | Ton         | 170                   |                |            |
| A-13                                   | Precast Concrete Member CAC-1<br>(501.0007.1)             | Each        | 2                     |                |            |

**BASE BID: A ITEMS** (Bridge 25.7) (continued)

| Item No.                 | Item Description  | Unit           | Quantity <sup>2</sup> | Unit Bid Price | Amount Bid |
|--------------------------|---|----------------|-----------------------|----------------|------------|
| A-14                     | Precast Concrete Member CPC-1 (501.0007.2)                              | Each           | 11                    |                |            |
| A-15.1                   | Class A Concrete, Piles (501.0004.1)                                    | Cubic Yard     | 144                   |                |            |
| A-15.2                   | Reinforcing Steel, 24"Ø Cage (503.0001.1)                               | Lump Sum       | 1                     |                |            |
| A-16                     | 29'-10" Steel Beam Span, Fabricate and Furnish (504.0001.1)             | Lump Sum       | 12                    |                |            |
| A-17                     | 29'-10" Steel Beam Span, Install (504.0001.2)                           | Lump Sum       | 12                    |                |            |
| A-18                     | Cable Railing and Decking (507.0007.1)                                  | Lump Sum       | 1                     |                |            |
| A-19                     | Furnish Structural Steel Piles, 24"Ø x 0.875"t, Galvanized (505.0001.2) | Linear Foot    | <b>3,440</b>          |                |            |
| A-20                     | Drive Structural Steel Piles, 24"Ø x 0.875"t, (505.0001.2)              | Each           | 30                    |                |            |
| A-21                     | Furnish and Drive Structural Steel Sheet Piles, PS31 (505.0009.1)       | Square Foot    | 4,200                 |                |            |
| A-22                     | Socket Structural Steel Piles, 24"Ø (505.0010.1)                        | Each           | 9                     |                |            |
| A-23                     | Riprap, Class III (611.0001.1)  | Cubic Yard     | 230                   |                |            |
| A-24                     | Railroad Crossing (617.0001.1)  | Lump Sum       | 1                     |                |            |
| A-25                     | Temporary Crossings (520.0001.1)  | Lump Sum       | 1                     |                |            |
| A-26                     | Stormwater Maintenance and Management (641.0002.1)                      | Contingent Sum | All Req'd             |                |            |
| <b>Total Base Bid A:</b> |   |                |                       |                |            |

| <b>ADDITIVE ALTERNATE BID: M ITEMS (Bridge 25.7) <sup>1</sup></b> |  |             |                              |                       |                   |
|---|--|-------------|------------------------------|-----------------------|-------------------|
| <b>Item No.</b>   | <b>Item Description</b>  | <b>Unit</b> | <b>Quantity <sup>2</sup></b> | <b>Unit Bid Price</b> | <b>Amount Bid</b> |
| M.1 <sup>3</sup>  | Modify Structural Steel Piles, ASTM A53, Grade B (505.0005.3)        | Linear Foot | 3,440                        |                       |                   |
| M.2 <sup>3</sup>  | Modify Structural Steel Piles, API Specification 5L X52 (505.0005.4) | Linear Foot | 3,440                        |                       |                   |
| M.3 <sup>3</sup>  | Modify Structural Steel Piles, API Specification 2B (505.0005.5)     | Linear Foot | 3,440                        |                       |                   |

| <b>BASE BID: B ITEMS (Bridge 25.4)</b> |  |             |                              |                       |                   |
|--|--|-------------|------------------------------|-----------------------|-------------------|
| <b>Item No.</b>                        | <b>Item Description</b>                                | <b>Unit</b> | <b>Quantity <sup>2</sup></b> | <b>Unit Bid Price</b> | <b>Amount Bid</b> |
| B-1                                    | Mobilization and Demobilization (640.0001.1)           | Lump Sum    | 1                            |                       |                   |
| B-2                                    | Clearing and Grubbing (201.0009.1)                     | Acre        | 5                            |                       |                   |
| B-3                                    | Removal of Bridge and Existing Structures (202.0023.1) | Lump Sum    | 1                            |                       |                   |
| B-4                                    | Removal of Track (202.0024.1)                          | Linear Foot | 1,120                        |                       |                   |
| B-5                                    | Unclassified Excavation (203.0003.1)                   | Cubic Yard  | 1,750                        |                       |                   |
| B-6                                    | Structural Fill (205.0009.1)                           | Ton         | 550                          |                       |                   |
| B-7                                    | Railroad Ballast, Type 3 (241.0001.1)                  | Ton         | 440                          |                       |                   |
| B-8.1                                  | Trackwork, 115# RE Rail (242.0001.1)                   | Linear Foot | 1,120                        |                       |                   |
| <b>B-8.2</b>                           | Exothermic Field Welds (242.0001.2)                    | Each        | 4                            |                       |                   |
| <b>B-9</b>                             | Surfacing Mainline Track (242.0001.2)                  | Linear Foot | 1,384                        |                       |                   |
| <b>B-10</b>                            | Aggregate Base Course, Grading C-1 (301.0002.1)        | Ton         | 120                          |                       |                   |
| <b>B-11</b>                            | Precast Concrete Member, Two Row Abutment (501.0007.1) | Each        | 2                            |                       |                   |
| <b>B-12</b>                            | Precast Concrete Member, One Row Bent (501.0007.2)     | Each        | 3                            |                       |                   |

**BASE BID: B ITEMS (Bridge 25.4) (continued)**

| Item No.                 | Item Description  | Unit           | Quantity <sup>2</sup> | Unit Bid Price | Amount Bid |
|--------------------------|---|----------------|-----------------------|----------------|------------|
| <b>B-13</b>              | Precast Concrete Member, 28' CBD<br>(501.0007.3)                        | Each           | 8                     |                |            |
| <b>B-14.1</b>            | Class A Concrete, Piles<br>(501.0004.1)                                 | Cubic Yard     | 25                    |                |            |
| <b>B-14.2</b>            | Reinforcing Steel, 12"Ø Cage (503.0001.1)                               | Lump Sum       | 1                     |                |            |
| <b>B-14.3</b>            | Reinforcing Steel, 16"Ø Cage (503.0001.1)                               | Lump Sum       | 1                     |                |            |
| <b>B-15</b>              | HSS Railing and Decking<br>(507.0007.1)                                 | Lump Sum       | 1                     |                |            |
| <b>B-16</b>              | Furnish Structural Steel Piles, 12"Ø x 0.500"t, Galvanized (505.0007.2) | Linear Feet    | <b>1,280</b>          |                |            |
| <b>B-17</b>              | Furnish Structural Steel Piles, 16"Ø x 0.500"t, Galvanized (505.0007.4) | Linear Feet    | <b>960</b>            |                |            |
| <b>B-18.1</b>            | Drive 12"Ø x 0.500"t Pipe Pile (505.0006.1)                             | Each           | <b>12</b>             |                |            |
| <b>B-18.2</b>            | Drive 16"Ø x 0.500"t Pipe Pile (505.0006.2)                             | Each           | 9                     |                |            |
| <b>B-19</b>              | Drive Structural Steel Piles. PS31 Sheets, 25'-0" Length (505.0009.1)   | Square Foot    | 4,200                 |                |            |
| <b>B-20</b>              | Riprap, Class III (611.0001.1)  | Cubic Yard     | 200                   |                |            |
| <b>B-21</b>              | Stormwater Maintenance and Management (641.0002.1)                      | Contingent Sum | All Req'd             |                |            |
| <b>Total Base Bid B:</b> |   |                |                       |                |            |

**ADDITIVE ALTERNATE BID: M ITEMS (Bridge 25.4) <sup>1</sup>**

| Item No.         | Item Description   | Unit        | Quantity <sup>2</sup> | Unit Bid Price | Amount Bid |
|------------------|--|-------------|-----------------------|----------------|------------|
| M.4 <sup>3</sup> | Modify Structural Steel Piles, ASTM A53, Grade B (505.0005.3)        | Linear Foot | 2,240                 |                |            |
| M.5 <sup>3</sup> | Modify Structural Steel Piles, API Specification 5L X52 (505.0005.4) | Linear Foot | 2,240                 |                |            |
| M.6 <sup>3</sup> | Modify Structural Steel Piles, API Specification 2B (505.0005.5)     | Linear Foot | 2,240                 |                |            |

Notes:

<sup>1</sup> Award of Additive Alternate Bid items is dependent on Owner finances. The successful bidder will be notified of the Owner's intent to award additional work prior to receiving a Contract or Notice to Proceed (NTP).

<sup>2</sup> Bid quantities are approximate. Contractor is responsible for their own quantity take-offs using the information within the Contract Documents to verify the quantities in the Cost Schedule.

<sup>3</sup> Clearly indicate if Unit Bid Price is NEGATIVE or POSTIVE. Values for these Unit Bid Prices are not required to be considered responsive.

**NON-COLLUSION AFFIDAVIT:** The Undersigned declares, under penalty of perjury under the laws of the United States, that neither he/she nor the firm, association, or corporation of which he/she is a member, has, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this Bid.

The Undersigned has read the foregoing proposal and hereby agrees to the conditions stated therein by affixing his/her signature below:

BIDDERS NAME AND ADDRESS

\_\_\_\_\_  
COMPANY NAME

\_\_\_\_\_  
SIGNATURE BY AND FOR THE BIDDER

\_\_\_\_\_  
COMPANY MAILING ADDRESS

\_\_\_\_\_  
PRINTED NAME OF ABOVE BIDDER

\_\_\_\_\_  
CITY, STATE ZIP CODE

\_\_\_\_\_  
DATE OF BID

\_\_\_\_\_  
CONTACT PHONE NUMBER

\_\_\_\_\_  
CONTACT E-MAIL